

1.

2.

3.

		Qnet. ar	(Vdaf)	St. d	Na <sub>2</sub> O	M	DT
50mm		4800kcal kg	18% 38%	2.5 %	2.0 %	8%	1350
		4600kcal kg	15% 40%	4.0 %	2.0 %	---	---

1.

5

3000

2.

2024 2 1 10

< 1 10

1 2 15 8 3000

2 15 8 5000

20 /

8000

0.02 / .

3.

13 %

4.

10

2304343109122102320

5.

	Qnet. ar 4800 St. d 2.5% 18% Vdaf 38% Na <sub>2</sub> O 2.0% 0. xxx / .	Qnet. ar <4800 Kcal / Qnet. ar 100 12000 12000 0.03	1. 2.5% St. d 3.0% St. d 0.1 2. 2.0% St. d 2.5% St. d 0.1 3. 0.1	1 2 5 0.1 10 20 0.1	90-110% 80% <90% -0.002 / 70% <80% 60% -0.004 / <70% -0.006 / 50% <60% -0.008 / 40% <50% -0.010 / <40% -0.020 /
	Qnet. ar 4600 Kcal / St. d 4.0% 2.5% Vdaf 40% Na <sub>2</sub> O 2.0%	Qnet. ar 4600 Kcal / St. d 4.0% Vdaf <18%	1. 2.5% St. d 3.0% St. d 0.1 2. 2.0% St. d 2.5% St. d 0.1 3. 0.1	1 2 5 0.1 10 20 0.1	90-110% 80% <90% -0.002 / 70% <80% 60% -0.004 / <70% -0.006 / 50% <60% -0.008 / 40% <50% -0.010 / <40% -0.020 /
			( / . )		
			(%)		
			%		%
			18% Vdaf 38%	2.5%	4800
			2.0%		2.0%

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- .

3000 3  
Qnet. ar 4800kcal St. d 2.5% 18% Vdaf 38% 2.0%

0 1 10

0 0- 0 0 0- 0